Epilepsy Research 18 (1994) 275–276

Contents of Volume 18 (1994)

Number 1 – May 1994

Research Reports

Noradrenergic terminal fields as determinants of seizure predisposition in GEPR-3s: a neuroanatomic assessment with intracerebral microinjections of 6-hydroxydopamine
C. Wang, P.K. Mishra, J.W. Dailey, P.C. Jobe, R.A. Browning (USA) 1

Kainic acid, bicuculline, pentylenetetrazol and pilocarpine elicit maximal dentate activation in the anesthetized rat
J.L. Stringer, K.L. Sowell (USA) 11

Hyperexcitability in the dentate gyrus of the epileptic Mongolian gerbil
P.S. Buckmaster, P.A. Schwartzkroin (USA) 23

Effect of an adenosine antagonist and an adenosine agonist on status entry and severity in a model of limbic status epilepticus
A. Handforth, D.M. Treiman (USA) 29

Afterpotentials of penicillin-induced epileptiform neuronal discharges in the motor cortex of the rat in vivo
O.W. Witte (Germany) 43

Vigabatrin-induced lesions in the rat brain demonstrated by quantitative magnetic resonance imaging
G.D. Jackson, S.R. Williams, R.O. Weller, N. van Bruggen, N.E. Preece, S.C.R. Williams, W.H. Butler, J.S. Duncan (UK) 57

The long-term safety and efficacy of gabapentin (Neurontin®) as add-on therapy in drug-resistant partial epilepsy
The US Gabapentin Study Group 67

Epilepsy, pseudoseizures and perceived family characteristics: a controlled study
P.M. Moore, G.A. Baker, G. McDade, D. Chadwick, S. Brown (UK) 75

Short Communication

Bilateral seizure-related changes of extracellular glutamate concentration in hippocampi during development of amygdaloid kindling
Y. Ueda, N. Tsuru (Japan) 85

Corrigendum 89

Number 2 – June 1994

Research Reports

Stereoselective pharmacokinetics of stiripentol: an explanation for the development of tolerance to anticonvulsant effect
R.H.G.P. Arends, K. Zhang, R.H. Levy, T.A. Baillie, D.D. Shen (USA, The Netherlands) 91

Loss of synaptic inhibition during repetitive stimulation in genetically epilepsy-prone rats (GEPR)
M.S. Evans, K.E. Viola-McCabe, D.M. Caspary, C.L. Faingold (USA) 97

Acute effects of 17β-estradiol on brain excitability studied in vitro and in vivo
E. Taubøll, S. Lindström, L. Gjerstad (Norway, Sweden) 107

Quantification of opiate receptors in two patients with mesiobasal temporal lobe epilepsy, before and after selective amygdalo-hippocampectomy, using positron emission tomography
P.A. Bartenstein, M.C. Prevett, J.S. Duncan, M. Hajek, H.G. Wieser (UK, Germany, Switzerland) 119

Quantitative MR relaxometry study of effects of vigabatrin on the brains of patients with epilepsy
G.D. Jackson, R.A. Grünewald, A. Connelly, J.S. Duncan (UK) 127

Cerebrospinal fluid examinations in cryptogenic West and Lennox-Gastaut syndrome before and after intravenous immunoglobulin administration
B.G.M. van Engelen, W.O. Renier, C.M.R. Weemaes, K.J.B. Lamers, F.J.M. Gabreels, H. Meinardi (The Netherlands) 139
Airway effects of direct left-sided cervical vagal stimulation in patients with complex partial seizures
J. Lötvall, H. Lunde, L.-E. Augustinson, T. Hedner, N. Svedmyr, E. Ben-Menachem (Sweden) 149
EEG detection of nontonic-clonic status epilepticus in patients with altered consciousness
M. Privitera, M. Hoffman, J.L. Moore, D. Jester (USA) 155
EEG changes following repetitive transcranial magnetic stimulation in patients with temporal lobe epilepsy
P. Jennum, H. Winkel, A. Fuglsang-Frederiksen, M. Dam (Denmark) 167

Announcement 175

Acknowledgement of referees 176

Number 3 – March 1994

Research Reports
Inhibition of NO synthase increases the severity of kainic acid-induced seizures in rodents
L.P. Penix, W. Davis, S. Subramaniam (USA) 177
Differential expression of the astrocytic enzymes 3-hydroxyanthranilic acid oxygenase, kynurenine aminotransferase and glutamine synthetase in seizure-prone and non-epileptic mice
C.L. Eastman, E.M. Urbaska, A.G. Chapman, R. Schwarcz (USA, UK) 185
Anticonvulsant effects of the experimental induction of hippocampal theta activity
J.W. Miller, G.M. Turner, B.C. Gray (USA) 195
Hippocampal CA1 neuronal properties in genetically epilepsy-prone rats: Evidence for increased excitation
S. Verma-Ahuja, T.L. Pencek (USA) 205
The effect of thyrotropin-releasing hormone (TRH) on limbic status epilepticus in rats
K. Osonoe, M. Osonoe, K. Ariga, N. Mori (Japan) 217
Phenytoin concentrations in the human brain: An in vivo microdialysis study
R.D. Scheyer, M.J. During, J.M. Hochholzer, D.D. Spencer, J.A. Cramer, R.H. Mattson (USA) 227
Dendritic morphology in epileptogenic cortex from TRPE patients, revealed by intracellular Lucifer Yellow microinjection and confocal laser scanning microscopy
P.V. Belichenko, P. Sourander, K. Malmgren, C. Nordborg, C. von Essen, B. Rydenhag, S. Lindström, A. Hedström, P. Uvebrant, A. Dahlström (Russia, Sweden) 233
The cost of epilepsy in the United Kingdom: An estimation based on the results of two population-based studies
O.C. Cockerell, Y.M. Hart, J.W.A.S. Sander, S.D. Shorvon (UK) 249
Factors influencing the risk of abnormal pregnancy outcome in epileptic women: A multi-centre prospective study
R.P.M. Steegers–Theunissen, W.O. Renier, G.F. Borm, C.M.G. Thomas, H.M.W.M. Merkus, D.A.W. Op de Coul, P.A. De Jong, H.P. van Geijn, M. Wouters, T.K.A.B. Eskes (The Netherlands) 261

Author Index to Volume 18 (1994) 271

Contents of Volume 18 (1994) 275

U·M·I

SHOULD READ NUMBER 3 - JULY 1994